## IN THE UNITED STATES DISTRICT COURT FOR THE DISTRICT OF DELAWARE

TONAL SYSTEMS, INC.,	
Plaintiff,	) )
v. IFIT INC.,	Civil Action No. 20-1197-GBW-CJB CONSOLIDATED
Defendant.	) ) )
DIOGENES LIMITED AND COLOSSUS (IOM) LIMITED,  Plaintiffs,  v.  DRAFTKINGS, INC.,  Defendant.	() () () () () () () () () () () ()
THE NIELSEN COMPANY (US), LLC, Plaintiff,	) ) ) )
v. TVISION INSIGHTS, INC., Defendant.	() () () () () () () () () () () () () (
	)

## **ORDER**

WHEREAS, the Court has received numerous motions challenging the accused infringer's counterclaims and/or affirmative defenses relating to inequitable conduct (hereafter, "inequitable conduct Motions");

WHEREAS, the Court believes that certain efficiencies in resolving the inequitable

conduct Motions are attainable by hearing argument on multiple such motions at essentially the

same time;

WHEREAS, the Court seeks to use its limited resources in a manner that may promote

the "just, speedy, and inexpensive determination of every action and proceeding[,]" Fed. R. Civ.

P. 1.;

NOW THEREFORE, IT IS HEREBY ORDERED that:

1. The Court will hear argument on the following inequitable conduct Motions at a

combined hearing on June 6, 2023, beginning at 9:30 a.m.:

a. D.I. 177 (Motion to Dismiss/Strike) in Civil Action No. 20-1197-GBW-CJB

b. D.I. 74 (Motion to Dismiss/Strike) in Civil Action No. 21-1695-MN-CJB

c. D.I. 29 (Motion to Strike) in Civil Action No. 22-1345-CJB

2. The hearing will be held in person in Courtroom 2A.

3. The parties shall submit electronic versions of any slides or other demonstrative materials

they may refer to by no later than 4:00 p.m. two days prior to the hearing.

4. Each party in the above-captioned actions must be represented by at least one attorney for

the entire duration of the hearing. The Court will subsequently advise the parties of how

much time each side/case will have for argument and the order in which each inequitable

conduct Motion will be heard.

Dated: April 17, 2023

Christopher J/Burke

UNITED STATES MAGISTRATE JUDGE

2